


DART

DESIGN <i>[Signature]</i>	DRAWN BY <i>[Signature]</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3184	REV. A SHEET 1 OF 3
DATE 03.05.07		TITLE WEARPLATE	SCALE 1:6
A	03.05.07	NEW ISSUE	

**D3184-041 WEARPLATE**


- 1) WELD PER QSI 004
- 2) FINISH: POWDER COAT BLACK SANDTEX (REF. 4.3.5.7) PER DART QSI 005 4.3
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES

RELEASED
03.05.12 *[Signature]*A1 03.11.24 *[Signature]* UPDATE DWG TO MATCH PARTS**COPYRIGHT © 2003 BY DART AEROSPACE LTD.**

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN	DRAWN BY	DART AEROSPACE LTD
CHECKED	APPROVED	HAWKESBURY, ONTARIO, CANADA
DATE	TITLE	REV. A
03.05.07	WEARPLATE	SHEET 2 OF 3
		SCALE 1:5



D3184-1 WEARPLATE

- 1) MACHINE PER DRAWING FILE "D3184-A.DRW"
- 2) MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A569/A570 OR CSA G40-21, 38W/44W/50W/60W/70W
SERIES STEEL 16 GAUGE (0.060 THICK)
(REF DART SPEC. M1010-S16GA)
- 3) BREAK ALL SHARP EDGES 0.005 TO 0.015
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES


COPYRIGHT © 2003 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.


RELEASED
03.05.12



DESIGN <i>[Signature]</i>	DRAWN BY <i>[Signature]</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3184	REV. A SHEET 3 OF 3
DATE 03.05.07		TITLE WEARPLATE	SCALE 1:1



D3184-11 FLAT PATTERN



D3184-3/-4 BEND DETAIL
(MAKE FROM D3184-11)

D3184-3/-4 BRACKET NOTES:

- 1) MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A569/A570 OR CSA G40-21, 38W/44W/50W/60W/70W
SERIES STEEL 16 GAUGE (0.060 THICK)
(REF DART SPEC. M1010-S16GA)
- 2) BREAK ALL SHARP EDGES 0.005 TO 0.015
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES

RELEASED
03.05.12 *[Signature]*

COPYRIGHT © 2003 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.